



WILLARD MARINE®

65' Dauntless Patrol Boat



Characteristics

Dimensions

Hull Length	65' (19.81m)
Beam Overall (w/Collar)	20' 4" (6.19m)
Hull Draft	3' 5" (1.04m)
Displacement (loaded)	83,000 lbs.
Fuel Capacity	2,000 gallons
Speed (Twin 1100 hp)	32 knots

Construction Details

*All-welded, Marine Construction,
Alloy 5086 Plating Heavy-Duty, Deep-V Hull Design*

Bottom Plating	5/16"
Side Plating	1/4"
Deck Plating	3/16"
Bulkhead Plating	3/16"
Transom Plating	1/4"

The 65' Dauntless is based on a proven hull designed by C. Raymond Hunt & Associates. The vessel is constructed of all-welded marine grade aluminum, featuring a deep-V variable deadrise hull that produces a smooth, dry and stable ride. The raised pilothouse provides excellent all-around visibility for the helmsman and crew. All of these features are designed to better support the crew for maximum mission performance with fast response and all-weather operational potential.



Hull Structures

- Variable Deadrise Bottom
- Lifting Strakes (2 per side)
- Wide Chines
- Radiused Bow Section
- 4 W.T. Compartments
- Bulkhead Drainage Valves
- Welded Aluminum Cabin and Pilothouse Floor
- Radiused Transom
- Cambered Decks
- Rigging Tube from Dash to Engine Room
- Wire Tube from Dash to Fore Peak
- Wire Tube from Dash to Lazarette
- Sacrificial Hull Anodes
- 1-Year Parts Warranty
- 10-Year Hull & Deck Warranty

Hull Fittings/Deck Fittings

- Collar, Foam, 24" Diameter
- Diving Ladder, Removable
- Lifting Eyes (4)
- Rubber Bumper, 6", Around Dive Platform
- Recessed Cargo Tie Downs
- Tow Post
- 200' Tow Line (1" Braided Nylon)
- Tow Line Reel
- Deck Crane, 1500 Lb. Capacity
- Ammunition Storage/Foundations (7.62)
- Ammunition Storage/Foundations (50 cal)
- Deck Reinforcement for Weapon Mounts
- Deck Canopy
- Dive Bottle Racks (Capacity 6)
- Ladder for Roof Access

Hatches & Closures

- Engine Room Personnel Access Hatch & Engine Room Ladder
- Cabin Floor Access Cover for Bilge Inspection
- Auxiliary Machinery Space Service Access
- Aluminum Walking Flats In:
Engine Space & Auxiliary Machine Space

Fuel System

- 2 Each - 1,000 Gallon Internal Tanks w/Senders
- Emergency Fuel Shutoff (Manual)

Gear for Inboard Models

- Air Foiled Shaped Struts
- Shaft Logs
- Stainless Steel Wedge-Shaped Rudders with Positive Stops
- Heavy-Duty Rudder Post Framing Tied to Bottom And Transom
- Stainless Steel Adjustable Rudder Tie Bar
- Stainless Steel Shafts Sized to Suit (w/Engine Installation)
- Propellers Bronze Standard (w/Engine Installation)

Pilot House

- 2 - Tempered Safety Plate Clear Front Windows, 3/8"
- 2 - 1/4" Safety Glass Clear Sliding Windows
- 2 - 1/4" Safety Glass Tinted Fixed Side Windows
- 2 - 1/4" Safety Glass Tinted Fixed Aft Bulkhead Windows
- Insulated Bulkhead Door with Dogs, Padlock Hasp & Window
- 2" Insulated Overhead with Liner
- 1" Insulated House Side Walls (Roof to Floor) With Side Liners
- 1" Insulated Aft Bulkhead with Liner
- Welded Aluminum Dash & Bulkhead Complete with High Profile Instrument Pod
- Overhead Wire Way with Access Panel
- Window Post Wire Ways (3)
- Rails: Overhead Handrails (2), Port Dash Handrail (1), Aft Bulkhead Door Rails (2), P/S Cabin Exterior Side Rails (2), & Exterior Aft House Rails (2)
- Air Conditioning, Central Unit, 48,000 Btu (2)
- Extended Pilot House
- Folding Chart Table with Chart Light
- 12v Fan (10 each)
- Floor Matting in All Interior Spaces
- 24" x 24" Lexan Roof Hatches (2 each)
- Emergency Treatment Bench with Restraining Straps & Storage Below in Aft Main Cabin
- Fwd Sloping Cabin Modification with Removable Top

Engine

- Twin 1100 Man Diesels, Conventional Drive
- Engine Gauge Panel Mounted at Engineer's Station In Pilot House
- FLOCS

Steering

- Power Steering
- Emergency Tiller

Cabin

- 1" Insulated Overhead/Cabin Sides with Headliner
- 2" Hull Insulation with Hull Liners
- Access Door Into Auxiliary Machinery Space
- Staircase Leading to Pilot House
- Companionway Handrail
- Aft Bulkhead Wire Way (for Dash Access)
- Wire Way Access Hatches (2)
- 2 - Individual Bunks with Cushions
- 2 - V-Berth (for two) Bunks with Cushions
- Galley Unit: Sink with Tank, 4-Burner Stove Top, Fullsize Refrigerator/Freezer, Microwave Oven
- Settee with Table
- Holding Tank
- Shower Set with Tankless Hot Water Heater
- Watertight Door

Electrical

- 12v and 24v DC Electrical System
- 100 amp Shore Power
- 12v Auxiliary Plugs
- Washdown Pump, 12VDC, w/Deck Bib, 1 Saltwater and 1 Freshwater
- Anchor Windlass, 12DC, 1,000 Lb.
- Windshield Washer System w/25 Gal. Water Tank
- Duplex Outlets, 120VAC
- Weathertight 120VAC Outlets
- Battery Charger
- 20 kw Diesel, Water-Cooled, 60 Hz, Generator
- Bilge Alarm/High Water (5)
- High Capacity Bilge Pumps w/Auto/Manual Feature

Seating

- Suspension Seats
- Seat Foot Rests, Port & Starboard, Folding
- 72" Bench/Storage Seat with Cushion (in Trunk Cabin)
- Fold-Down Seat (2)

Navigation/Communication Electronics

- Integrated Navigation System Including GPS, Chart Plotter, Radar, 2 Screens & Depth Finder
- Radar, 24NM, Raymarine, 18" Dome
- Radar, 48NM, Raymarine, 24" Dome
- Depth Sounder
- Closed Circuit TV System with Digital Recorder
- 4-1/2" Lighted Compass
- Inmarsat Mini-M Transceiver w/Cradle, Handset & SAT Antenna
- Loud Hailer with Hailing Horn
- Radio, DSC/VHS Radio Telephone, w/Antenna
- Radio, SSB, w/ Antenna, Tuner & Mount
- Radio, VHF w/Antenna
- David Clark Intercom System, 4-Station, Interfaced w/Radios, Headsets
- Siren/PA System w/100W Speaker
- Loud Hailer with Hailing Horn
- EPIRB 406 MHz

Safety Equipment

- Automatic Fire Extinguisher, FE-241, 1500 MA2, w/Shutdown
- Lighting Protection system
- 10-Man Life Raft, Canister, Offshore (2)
- First-Aid Kit

Lighting

- Side Lights LED
- Anchor/Navlight LED
- Compartment & Overhead Dome Lighting
- Bunklights & Interior Lights
- Emergency Strobe Lights
- Floodlights
- Searchlight, Handheld
- Searchlights, Remote Controlled 12" (2)

Miscellaneous

- Window Storm Covers
- Anchor Chocks & Hawse Pipe
- Anchor Pkg., 40 Lb. w/150' Line, Chocks, Thimble, Shackle & 10' Chain (3)
- Fenders
- Flagstaff
- Boat Hook (2)
- Fire Extinguisher, 10 Lb., Dry Chemical (4)
- Ring Buoy, 30", w/Bracket & Life Line (2)
- Stokes Litter w/Flotation Collar
- Weapons Storage Locker
- Mooring Line, 1" x 50" (5)
- Storage Locker on Weather Deck, 36"
- Water Tank, 80 Gallon
- Shipping/Storage Cradle
- Flare Kit

Paint and Finish

- Polyurethane Paint - Haze Grey
- Customer Logo/Insignia
- Non-Skid Light Grey
- Black Lettering

Spare Parts

Willard Marine, Inc. maintains a dedicated parts department to service our customers when they need it the most—after the sale. In addition, Willard Marine offers onboard and shore-based spare parts kits for all models when originally purchased.

All Dauntless Series Models Can be Customized to Meet Your Requirements

Specifications are subject to change without notice and are based upon final configuration, arrangement and outfitting.